

RELTON CORPORATION

RELTON STORY

In 2016, Relton will mark 70 years in business; we began in 1946 as the Termite Drill Company. The company's first product was the multiple-carbide, core-style, rotary masonry drill bit invented by our founder. This basic design quickly became the standard of the industry. Relton has since become the **broadest-line supplier of hammer and rotary bits and hole saws.**

Recent Relton innovations include our patented **Pyramid Point®** hammer tip design with a central point surrounded by 4 cutters for precise smooth drilling, in spline, SDS-max, and now SDS+. Our **rebar cutters** in straight shank and SDS+ are the industry standard, and our general purpose **Groo-V Tip®** (GRT®) rotary/percussion bit line is perfect for hard metal, granite, and other difficult materials.

New Rapid Tap®, our ozone-friendly hard-metal cutting fluid, heads a complete line of cutting fluids and oils, which includes **A-9®** for aluminum, biodegradable **Option 1®**, and more recent additions in the 1990's. In 1994, Relton formulated **TCO-14™** (dark) and **TCO-16™** (light) Thread-Cutting Oil, and in 1995, we introduced **Air-Flo®** air tool oil. Further expansion in 1999 brought **Rel Saw™**, a semi-synthetic fluid for band sawing, **Stick-Kut™**, a lubricating stick wax, and **New Rapid Tap® Paste**.

Relton drill bits are used by the construction trades in the drilling of concrete and other masonry, while the hole saws are used in the cutting of diverse materials such as metal, wood, fiberglass, ceramic tile, pipe and stucco. Relton makes a wide variety of cataloged products, and also specialty bits and hole saws to customers' specifications.

How have we continued in business for over 70 years in the face of stiff competition from companies far larger than we? **We maintain a high service level** - shipping quickly from the broadest line in the business. **We produce high-quality products** - testing them constantly to ensure that quality. **We're flexible** - making the specialty products you need, not only the cataloged items you see here. **We're unique** - boasting one of the few production-grade, long-lasting hole saw lines in the world.

FACTS TO REMEMBER ABOUT RELTON MASONRY TOOLS

Most Relton bits can be easily resharpened. The high quality carbide tip is also replaceable, allowing for possible rebuilding of the entire bit.

Relton hammer bits comply with ANSI Standard B212.15-1994 where applicable. All Relton Tools should be used in conformity with the power tool manufacturers' specifications.

Special diameters or lengths can be produced on request. Because certain restrictions apply to this offer, please discuss your request with your Authorized Relton Distributor or the Relton factory in Arcadia, California.

WE STAND BEHIND OUR PRODUCTS

All Relton Tools are manufactured to exacting specifications and are guaranteed to be free of defects in workmanship or material. If inspection of returned products leads Relton to conclude that a product is defective, Relton will promptly repair or replace that product, free of charge. Relton Corporation assumes no responsibility for products damaged by user misuse or altered by others.

Warranty limitation on extra-long bits: Warranty for breakage is limited to Relton discretion—see page 17 for bit life suggestions. No other guarantee, written or verbal, is authorized.

Please return the tool alleged to be defective, transportation prepaid, to:

Relton Corporation
317 Rolyne Place
Arcadia, California 91007-2838

WARNING

- **Protective goggles** should be worn when drilling, sawing, etc. Safety steps should be taken in anticipation of possible sudden binding or breakage of any tool.
- Relton Corporation provides a factory resharpening service. We do not recommend that the user attempt to resharpen the tool.
- Relton reserves the right to make design or formula changes at any time, with or without notice.
- Weights listed in this catalog are approximate. They do not include the weight of the box or packing materials.

© Relton Corporation 2016

We manufacture special items on request. If you don't see what you're looking for, call us---we'll try to accommodate your needs. Weights are for product. Boxes and packing material are not included, so do not use to calculate actual shipping weight.

TABLE OF CONTENTS

CARBIDE DIVISION

Technical Information

Carbide Masonry Tools 3

Rotary Hammer Bits

SDS+ 4,5
Quik-Stop 5
SDS-max®, Pyramid Point® 6
Spline, Pyramid Point® 7
Forged Hammer Tools 8
Solid-Body "Hard Head" 9
Hammer Core 10

Adaptors

Quik-Lok™ 5

Rotary Percussion Bits

Ram-Tip™ 11
Groo-V Tip® 12
Screw-Type Anchor Bits 12
R4X™ 13

Rotary Only Bits

Tip-Top™ 13

Rebar Cutters

Rebar Cutters 15

Specialty Carbide Bits

How to Order 16

Factory Service Schedule

Bit Retipping 17

HOLE SAW DIVISION

Brazed Carbide Hole Saws

Hard Plastic / Stucco 19
Wood / Fiberglass 19
Metal-Cutting 20
Interrupted-Cut 20
Tub, Tile, & Spa 21
Thin Gauge/Sheet Metal 21
Shanks & Pilots 21

Specialty Hole Saws

How to order 22

Factory Service

Hole Saw Retipping 22

CHEMICAL DIVISION

Metal-Cutting Fluids

New Rapid Tap® 24
A-9® 24
Option 1® 25

Band Saw Products

Rel Saw™ (Recirculating Fluid) 25
Stick-Kut™ (Stick Wax) 27

Thread Cutting Oil

TCO-14™ Dark 26
TCO-16™ Light 26

Air Tool Oil

Air-FLO® 27

Warehouse Locations / Sales Offices Back Cover

Relton Corporation on the Internet

web page www.relton.com

e-mail info@relton.com